AMENDMENTS TO THE CLAIMS

- 1. (Original) A fungicidal mixture for controlling rice pathogens, which mixture comprises
 - 1) the triazolopyrimidine derivative of the formula I

and

2) sulfur (II),

in a synergistically effective amount.

- 2. (Original) The fungicidal mixture as claimed in claim 1 comprising the compound of the formula I and sulfur (II) in a weight ratio of from 100:1 to 1:100.
- 3. (Currently Amended) The fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 1-or 2.

2 SLL/dns

4. (Original) A method for controlling rice-pathogenic harmful fungi, which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the compound I and sulfur (II) as set forth in claim 1.

- 5. (Currently Amended) The method according to claim 4, wherein the compounds I and II as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.
- 6. (Currently Amended) The method according to claim 4, wherein the mixture-as claimed in claim 1 or 2 is applied in an amount of from 1 kg/ha to 5 kg/ha.
- 7. (Currently Amended) The method according to claim 4 or 5, wherein the mixture as elaimed in claim 1 or 2 is applied in an amount of from 0.001 to 5 kg/100 kg of seed.
- 8. (Currently Amended) The method according to any of claims 4 to 7 claim 4, wherein the harmful fungus *Cochliobolus miyabeanus* is controlled.
- 9. (Currently Amended) Seed comprising the mixture as claimed in claim 1-or-2 in an amount of from 0.001 to 5 kg/100.

3 SLL/dns

10. (Original) The use of the compound I and sulfur (II) as set forth in claim 1 for preparing a composition suitable for controlling rice-pathogenic harmful fungi.

- 11. (New) The fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 2.
- 12. (New) The method wherein the compounds I and II as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.
- 13. (New) The method wherein the mixture as claimed in claim 1 is applied in an amount of from 1 kg/ha to 5 kg/ha.
- 14. (New) The method wherein the mixture as claimed in claim 2 is applied in an amount of from 1 kg/ha to 5 kg/ha.
- 15. (New) The method according to claim 5, wherein the mixture is applied in an amount of from 0.001 to 5 kg/100 kg of seed.
- 16. (New) The method wherein the mixture as claimed in claim 1 is applied in an amount of from 0.001 to 5 kg/100 kg of seed.

17. (New) The method wherein the mixture as claimed in claim 2 is applied in an amount of from 0.001 to 5 kg/100 kg of seed.

- 18. (New) The method according to claim 5, wherein the harmful fungus *Cochliobolus* miyabeanus is controlled.
- 19. (New) The method according to claim 6, wherein the harmful fungus *Cochliobolus* miyabeanus is controlled.
- 20. (New) The method according to claim 7, wherein the harmful fungus *Cochliobolus* miyabeanus is controlled.

5 SLL/dns